Dane County Bicycle Wayfinding

March 2, 2017






Introductions





Why Wayfinding?

- For Riders
 - Higher level of comfort for riders, especially new riders
 - Guidance on less intuitive routes
 - Provide navigational assistance and helps in finding destinations
- For Municipalities
 - Consistency across jurisdictional boundaries
 - Simplify implementation
 - Support bicycle encouragement
 - Increase awareness and promotion of parks



24. Glacial Drumlin to Rockdale Trail

Park to City of Edgerton

27. CamRock Co. Park to Silverwood Co.

25. Blue Mounds Loop

26. Sherman Flyer Trail

15. Black Earth Creek to Pope Farm Park to

Badger Prairie Co. Park

17. Mazomanie to Sauk City Rail Trail

16. Black Earth Creek Trail

19. Indian Lake Spur Trail

18. Highway 12 Connector Trail

Capital City Connector Trail

Lower Yahara River Trail

Stoughton to Oregon Trail

Oregon to Captital Springs Trail

Blooming Grove Drumlin/Door Creek Park Trail

Kegonsa Loop (includes on-road segments)

Starkweather Creek

Yahara Chain

Badfish Creek

G. Black Earth Creek

Sugar River

Dane County Project Areas

Dane County project areas include lands within a Natural Resource Area Boundary or the Ice Age National Scenic Trail Corridor and lands along Tier I annd Tier II streams.

The Dane County Park Commission has the authority to

purchase land rights within these designated areas from willing sellers. Lands within these areas are also eligible for Conservation Fund Grants.

idor: Ice Age Park & Trail For ounty Parks Data (2006). ice Age National Scenic Trail C Tier I and Tier II Streams: Dane

National Park Service Lands

Resource Protection Corridor

Perennial Stream

Railroad

Dane County

2012 - 2017

Historical/Cultural Site Natural Resource Area Property

Land & Water Legacy Wetland Sites Dane County Conservation Easements Dane County Streambank Easements Conservation Fund Grant Properties*

Ice Age National Scenic Trail Corridor

Existing Ice Age National Scenic Trail


Map of Counties Surrounding Dane County

Urban Service Area: Capital Area Regional Planning

Reference layers include existing infrastructure, landuse, hydrology, and state/federal land within Dane County.

Reference Layers

The Dane County Park Commission does not have the authority to purchase land rights in these areas, nor are lands within these areas eligible for Conservation Fund Grants.



For Whom are We Signing?

Residents

- new to bicycling
- new to the neighborhood or city
- confidence in a complicated route
- trying a new facility

Tourists

- Skill level
 - Interested but concerned
 - Experienced but in unfamiliar area



Developing the Project Scope

Prioritize your bicycle routes

- Regionally significant routes
- Local routes
 - To business districts, parks, schools, libraries, points of interest
- US Bicycle Routes

Mapping

Inventorying Current Signage

Context	Primary Destinations	Secondary Destinations	Tertiary Destinations
Urban/Suburban Bikeway	Up to 5 miles	Up to 2 miles	Up to 1 mile
Rural Bikeway	No distance limit	Up to 5 miles, with the exception of trail or path end points, which have no distance limit	Up to 1 mile


- How well known is the destination?
- Is it a destination with many visitors?
- Is it easily reached by bicycle?
- If it is a bike path, does it have a recognizable name?

- Parks, business districts, major sports venues, major bikeways, well-known landmarks, schools, libraries
- Private businesses should not be signed use name for area, generic title or symbol











Destination Signage Examples





Destination Signage Examples





Practice Exercise


Decision Assemblies







Confirmation Assemblies




0.3 mi


2 min

0.7 mi

4 min

Street Name Assemblies





Path Access and Exit Assemblies





Example



Example





Community Branding







Route Identification Sign

Sign Type	Route Identification Shared Use Path (I-SP)	Route Identification On-street Route (I-OS)	Route identification Unnamed Route (I-UN)
Description	Shows route name and bicycle/pedestrian modes	Shows route name and bicycle mode	Shows bicycle mode without route name
Features	Name of path Ped/bike symbols	Name of on-street facility or route Bicycle symbol	Bicycle symbol
Sample	18" Capital City Path 10.5" 11.25"	18. Lake Loop 1.5° List	18" T.75" min. 1.25" 21.5" 1.25"

Route Identification Sign






Fingerboard Layout – Arrows







Fingerboard Layout - Navigation







Fingerboard Layout - Distance

- Measure to main entrance of location
- City Center for smaller cities/villages
- Madison city limit
- Madison downtown





- Distances under 5 miles should be rounded to the nearest tenth of a mile
- 5-10 miles, to the nearest half-mile
- Over 10 miles, to the nearest mile

Fingerboard Layout - Time

- Encouragement tool
- Urban areas with easy access to popular destinations
- Use approx 10 min/mile



Fingerboard Layout - Symbols





Sign Layout Examples











Signage Plan



Cannonball



















Practice Exercise

Other Signs - Warning Signs


Warning signs may be installed where shared use path conditions could cause a bicyclist to lose control of the bicycle.

Typical conditions include:

sharp curves, blind curves, steep grades, path or street intersections with poor visibility, areas that flood during storm events, and areas with rough pavement.



Other Signs - Etiquette



Other Signs - Mileage Markers



- Count up in one direction and down in the other.

 The displayed mileage will be the same from both directions of travel.
- Zero distance should usually begin at the south and west terminus points of shared use paths.
- When a path name changes (such as when the Badger State Trail changes to the Southwest Path), it is a logical place to consider resetting the mileage system at zero
- The most important part of the mileage system is that it has a logical zero distance terminus on one end and that maintenance crews and first responder agencies know what the mileage system is.

Other Signs – Jurisdiction Boundaries

Sometimes trails and paths weave in and out of municipal boundaries, in which case the jurisdiction boundary sign may be confusing to users.

If this is the case, consider avoiding the use of the boundary sign, or installing it only at the point at which the path enters the jurisdiction for the last time.



Other Signs – Fee Areas








Other Signs - Kiosks and Maps





Other Signs - Pavement Markings



Sign Plans

Installation Plan

- Plan Map
- Sign Assembly and Installation Details
- Fabrication Specifications
- Potential Vendors:
 - Decker Supply Co.
 - TAPCO Traffic & Parking Control Inc.
 - Fastsigns
 - Madison Sign Shop
 - Badger State Industries



DANE COUNTY DEPARTMENT OF LAND & WATER RESOURCES PARKS DIVISION

5201 Fen Oak Drive, Room 208 MADISON WI 53718-8812 608/224-3611

REQUEST FOR QUOTATION

Quote prices **FOB Destination** to Dane County Park: 5201 Fen Oak Drive, Room 208 Madison, WI 53718-8812


For information call Sara Rigelman, Acquisition and Planning Specialist, 608/224-3611


Please email your Quotation to rigelman@countvofdane.com or mail to above address. Call for FAX number if you must fax your quotation.


Call for FAX number if you must fax your quotation.				
Item Description	Net Unit Price			
Dane County Parks is seeking vendor proposals for the fabrication of several signs for				
the Lower Yahara River Trail.				
Scope of Services includes:				
Fabrication of 78 signs for the Lower Yahara River Trail as listed and depicted in Attachment 1. All of the bicycle wayfinding signs should adhere to the sign lay-outs as described in Attachment 2.				
The signs should 0.080 inches thick aluminum with reflective sheeting and antigraffiti coating. Reflective sheeting should be furnished from the Wisconsin Department of Transportation's approved products list. If the manufacturer provides a warranty for the reflective sheeting, turn the warranty over to the Dane County Parks Division. 3/8 in. bolt holes should be drilled at the top and bottom of signs on center.				
53718.	6			
TOTAL COST:	S			
Hourly rate if additional services are required beyond	s			
the original scope or after completion date:	3			
Completion date: All signs shall be completed and delivered by May 1, 2017.				
Vendor Contact Information				
Vendor Name:Contact Person:				
Address:				
Address.				
Phone:				
Email:				
Lilian.				
Signed by: Date:				

Sign #	Quantity	Туре	Dimensions	MUTCD Ref. #
1	1	Wayfinding Street Sign	13" W x 8" H	
2	1	Wayfinding Street Sign	28" W x 8" H	
3	1	Wayfinding	24" W x 42" H	
4	1	Wayfinding	24" W x 36" H	
5	1	Wayfinding	24" W x 30" H	
6	1	Wayfinding	24" W x 42" H	
7	1	Wayfinding	24" W x 24" H	
8	1	Wayfinding	24" W x 42" H	
9	1	Wayfinding	24" W x 30" H	
10	1	Wayfinding	24" W x 48" H	
11	1	Wayfinding	24" W x 30" H	
12	1	Wayfinding	24" W x 36" H	
13	1	Wayfinding	24" W x 42" H	
14	1	Wayfinding	24" W x 42" H	
15	1	Wayfinding	24" W x 54" H	
16	1	Wayfinding	24" W x 54" H 24" W x 60" H	
17 18	1	Wayfinding	24" W x 60" H	
19	1	Wayfinding	24" W x 60" H	
20	3	Wayfinding Yield	18" x 18" x 18"	R1-2
21	4	Trail Xing (Symbol)	18" x 18" (diamond)	W11-15 (diamond)
22	4	Tail Xing (Text)	18" W x 12" H (plaque)	W11-15 (diamond) W11-15P (plaque)
23	1	Heritage Center Patron Parking Only	15" W x 9" H	wii-isi (piaque)
24	6	No Bicyclists	6" x 6"	R5-6
25	1	Vehicles Yield to Pedestrians And Bicyclists	12"W x 18" H (Yield sign)	
26	4	Share Road w/Bicyclists	18" x 18" (diamond)	
27	1	Do Not Enter	30" x 30" (Do Not Enter)	R5-1
28	3	Authorized Vehicles Only	24" W x 18" H (varies	R5-11
29	2	Slippery when wet	18" x 18" (diamond)	W8-10 (diamond)
30	1	End of Boardwalk in 0.9 MI	24" W x 12" H	VVO-10 (diamond)
31	2	Regulations	24" W x 18" H	
32	1	Fishing right arrow	6" x 6"	
33	1	Fishing left arrow	6" x 6"	
34	1	Restrooms 0.8 MI	6" x 6"	
35	1	Restrooms 0.7 MI	6" x 6"	
36	2	Stay off railings	36" W x 6" H	
37	2	No mooring	54" W x 5.5" H	
38	1	Do not walk or fish on tracks	12" W x 18" T	
39	4	No fishing	6" x 6"	
40	14	Mile markers; 0 MI, 0.5 MI, 1 MI, 1.5 MI, 2.5 MI, 1.6 MI, 1.7 MI, 1.8 MI, 1.9 MI, 2.0 MI, 2.1 MI, 2.2 MI, 2.3 MI, 2.4 MI	6" W x 9" H	

Post Installation







Detours









Questions/Comments

Contacts:

Sara Rigelman rigelman@countyofdane.com

Renee Callaway recallaway@cityofmadison.com

https://parks-lwrd.countyofdane.com/Parks-Recreation/Biking